

BendPak Technical Service Bulletin Quick-Connect Components Pre-Installed

QuickJack TSB 144-092024


The purpose of this Technical Service Bulletin (TSB) is to provide an update to the **QuickJack Portable Car Jack Setup and Operation Manual 5900263 Rev. B6**. This update outlines the elimination of specific assembly steps due to the pre-installation of **Quick-Connect Fittings** and **Hydraulic Elbow Fittings**.

Quick-Connect Fittings and **Hydraulic Elbow Fittings** will no longer be user-assembled; they will arrive pre-installed on all QuickJack models.


Note: Your QuickJack may or may not be affected by this update. When unpacking your QuickJack, check the *Hydraulic Hoses* to determine if the **Quick-Connect Fittings** have been installed. Also, check the *Hydraulic Cylinders* to determine if the **Hydraulic Elbow Fittings** have been installed.

Parts affected by this update:

The image below shows the *Quick-Connect* components pre-installed on the short and long *Hydraulic Hoses*. This is an update to the image on pg. 8 of the current manual.




The Parts Sheet image on pg. 59 (shown below) can be disregarded.




The two **Hydraulic Elbow Fittings** (items 5 shown above) will either be packaged separately in Box 3 or pre-assembled on the *Hydraulic Cylinders*.

A visual inspection of the *Hydraulic Cylinders* (image below) will indicate which option you have. If your QuickJack *Hydraulic Cylinders* do **NOT** have the **Hydraulic Elbow Fittings** assembled, then they will be packaged in Box 3. If so, follow the installation instructions in the manual (pg. 20).



The image below shows the two **Quick-Connect Fittings** (5550413) pre-assembled on the Power Unit. This eliminates the need for (Setup 13) on page 25 of the manual.



The following assembly steps have been eliminated:

Setup 4: Pg. 17. *Thread Sealant* will no longer be required as the *Quick-Connect Fittings* now come pre-assembled.

Setup 5: Pg. 18. Assembly of the *Short Hydraulic Hoses* is no longer required.

Setup 6: Pg. 19. Assembly of the *Long Hydraulic Hoses* is no longer required.

Setup 7: Pg. 19. This step is no longer required.

Setup 13: Pg. 25. Installing the *Quick-Connect Fittings* on the Power Unit is no longer required as these parts now come pre-assembled.

If you experience difficulties with your QuickJack that you cannot resolve, please contact QuickJack Technical Support at **support@quickjack.com**, **(888) 262-3880** or **(805) 933-9970**.